European Journal of Pharmacology, 186 (1990) 379–382
Elsevier

Author index

Abe, Y., see Shoji, T. (186) 119
Aki, Y., see Shoji, T. (186) 119
Alj, A.E., Bonoris, E., Cynober, E. and Germain, G.
Heterogeneity of oxytocin receptors in the pregnant rat myometrium near parturition (186) 231
Amann, R., Donnerer, J., Maggi, C.A., Giuliani, S., DelBianco, E., Weihe, E. and Lembeck, F.
Capsaicin desensitization in vivo is inhibited by Ruthenium Red (186) 169
Andersson, K.-E., see Holmquist, F. (186) 87
Angulo, J.A., see Coirini, H. (186) 369
Arnold, T.F., see McDougall, S.A. (186) 223
Astier, H., see Tapia-Arancibia, L. (186) 319

Baeyens, J.M., see Ocaña, M. (186) 377
Baffour, R., see Costello, K.B. (186) 311
Baraban, J.M., see Stratton, K.R. (186) 357
Barrios, M., see Ocaña, M. (186) 377
Barron, K.W., see Piascik, M.T. (186) 273
Battistini, B., Sirois, P., Braquet, P. and Filep, J.G.
Endothelin-induced constriction of guinea pig airways: role of platelet-activating factor (186) 307
Berg Nyborg, N.C. and Mikkelsen, E.O.
5-Hydroxytryptamine does not release endothelium-derived relaxing factor in rat isolated coronary arteries (186) 295
Bertocci, B., see Cesura, A.M. (186) 95
Bigalke, H., see Netzer, R. (186) 149
Boireau, A., see Castel, M.-N. (186) 133
Bonoris, E., see Alj, A.E. (186) 231
Braquet, P., see Battistini, B. (186) 307
Brooks, S., see Richards, I.S. (186) 331
Brunelleschi, S., Ceni, E., Giotti, A. and Fantozzi, R.
Tachykinins stimulate lyso-PAF : acetyl-CoA acetyltransferase activity in neutrophils (186) 367

Callahan, P.M. and Cunningham, K.A.
The discriminative stimulus properties of cocaine: effects of BAY K 8644 and nimodipine (186) 143
Castel, M.-N., Boireau, A. and Laduron, P.M.
Effect of γ-butyrolactone on the retrograde axonal transport of neurotensin in dopaminergic neurones (186) 133
Ceni, E., see Brunelleschi, S. (186) 367
Cesura, A.M., Bertocci, B. and Da Prada, M.
Binding of [^{3}H]dihydrotetrabenazine and [^{125}I]azidoiodoketanserin photoaffinity labeling of the monoamine transporter of platelet 5-HT organelles (186) 95
Coirini, H., Schumacher, M., Angulo, J.A. and McEwen, B.S.
Increase in striatal dopamine D_2 receptor mRNA after lesions of haloperidol treatment (186) 369
Collingridge, G.L., see Irving, A.J. (186) 363
Conroy, D.M., Samhoun, M.N. and Piper, P.J.
Relaxations of guinea-pig isolated trachea induced by platelet-activating factor are epithelial-dependent and are antagonised by WEB 2086 (186) 315
Costello, K.B., Stewart, D.J. and Baffour, R.
Endothelin is a potent constrictor of human vessels used in coronary revascularization surgery (186) 311
Cragoe, Jr., E.J., see Iwakura, K. (186) 29
Criscuolo, M., see Genazzani, A.R. (186) 177
Cunningham, K.A., see Callahan, P.M. (186) 143
Cynober, E., see Alj, A.E. (186) 231

Damsma, G., Tham, C.-S., Robertson, G.S. and Fibiger, H.C.
Dopamine D_1 receptor stimulation increases striatal acetylcholine release in the rat (186) 335
Da Prada, M., see Cesura, A.M. (186) 95
Darmani, N.A., Martin, B.R. and Glennon, R.A.
Withdrawal from chronic treatment with (±)-DOI causes super-sensitivity to 5-HT_2 receptor-induced head-twitch behaviour in mice (186) 115
Davis, J.D., see Schneider, L.H. (186) 61
De Gaetani, C., see Genazzani, A.R. (186) 177
DeLanney, L.E., see Segal, I.S. (186) 9
DelBianco, E., see Amann, R. (186) 169
Del Pozo, E., see Ocaña, M. (186) 377
De Ramundo, B.M., see Genazzani, A.R. (186) 177
Donnerer, J., see Amann, R. (186) 169
Duarte, I.D.G., Lorenzetti, B.B. and Ferreira, S.H.
Peripheral analgesia and activation of the nitric oxide-cyclic GMP pathway (186) 289

Edwards, P.M., see Sporel-Özakat, R.E. (186) 181

Fantozzi, R., see Brunelleschi, S. (186) 367
Ferreira, S.H., see Duarte, I.D.G. (186) 289
Fibiger, H.C., see Damsma, G. (186) 335
Ficarra, G., see Genazzani, A.R. (186) 177
Filep, J.G., see Battistini, B. (186) 307
Fuhlendorff, J., see Jørgensen, J.C. (186) 105
Fukui, K., see Shoji, T. (186) 119

Gackenheimer, S.L., see Gehlert, D.R. (186) 373
Galas, M.-C., see Mendre, C. (186) 213
Gehlert, D.R., Mais, D.E., Gackenheimer, S.L., Krushinski, J.H. and Robertson, D.W.
Localization of ATP sensitive potassium channels in the rat brain using a novel radioligand, [^{125}I]iodoglibenclamide (186) 373

0014-2999/90/$03.50 © 1990 Elsevier Science Publishers B.V. (Biomedical Division)

Genazzani, A.D., see Genazzani, A.R. (186) 177
Genazzani, A.R., De Ramundo, B.M., Criscuolo, M., De Gaetani, C., Ficarra, G., Genazzani, A.D., Petraglia, F. and Trentini, G.P.
Acetyl-l-carnitine restores the daily pattern of hypothalamic β-endorphin in rats exposed to continuous light (186) 177
Gerlach, J., see Peacock, L. (186) 49
Germain, G., see Alj, A.E. (186) 231
Gerritsen Van der Hoop, R., see Sporel-Özakat, R.E. (186) 181
Giotti, A., see Brunelleschi, S. (186) 367
Gispen, W.H., see Sporel-Özakat, R.E. (186) 181
Giuliani, S., see Amann, R. (186) 169
Glennon, R.A., see Darmani, N.A. (186) 115
Grafe, P., see Quasthoff, S. (186) 125
Grove, K.L., see Rowe, B.P. (186) 339
Gueudet, C., see Mendre, C. (186) 213

Haji, A., see Takeda, R. (186) 189
Haji, A., see Takeda, R. (186) 197
Hedlund, H., see Holmquist, F. (186) 87
Hernández, A., Paeile, C., Pérez, H., Pelissier, T. and Soto-Moyano, R.
κ Opioid receptor-mediated depression of activity evoked in convergent dorsal horn cells by thermal and non-thermal noxious stimulation (186) 323
Holmquist, F., Hedlund, H. and Andersson, K.-E.
Effects of the α_1-adrenoceptor antagonist R-(−)-YM12617 on isolated human penile erectile tissue and vas deferens (186) 87
Hori, M., see Iwakura, K. (186) 29

Irving, A.J., Schofield, J.G., Watkins, J.C., Sunter, D.C. and Collingridge, G.L.
1S,3R-ACPD stimulates and L-AP3 blocks Ca^{2+} mobilization in rat cerebellar neurons (186) 363
Irwin, I., see Segal, I.S. (186) 9
Iwakura, K., Hori, M., Watanabe, Y., Kitabatake, A., Cragoe, Jr., E.J., Yoshida, H. and Kamada, T.
α_1-Adrenoceptor stimulation increases intracellular pH and Ca^{2+} in cardiomyocytes through Na^+/H^+ and Na^+/Ca^{2+} exchange (186) 29
Iwao, H., see Shoji, T. (186) 119

Jarrott, B., see Widdop, R.E. (186) 17
Jiang, Q., Mosberg, H.I. and Porreca, F.
Selective modulation of morphine antinociception, but not development of tolerance, by δ receptor agonists (186) 137
Jin, J.-G., see Takaki, M. (186) 71
Jordan, D., see Shepheard, S.L. (186) 267
Jørgensen, J.C., Fuhlendorff, J. and Schwartz, T.W.
Structure-function studies on neuropeptide Y and pancreatic polypeptide – evidence for two PP-fold receptors in vas deferens (186) 105

Kamada, T., see Iwakura, K. (186) 29
Karoum, F., Suddath, R.L. and Wyatt, R.J.
Chronic cocaine and rat brain catecholamines: long-term reduction in hypothalamic and frontal cortex dopamine metabolism (186) 1
Keenan, C.M., see Wallace, J.L. (186) 279
Kigoshi, S., see Muramatsu, I. (186) 41
Kitabatake, A., see Iwakura, K. (186) 29
Korbut, R., see Lidbury, P.S. (186) 205
Krushinski, J.H., see Gehlert, D.R. (186) 373
Kulkarni, A., see Richards, I.S. (186) 331
Kusiak, J.W., see Piascik, M.T. (186) 273

Laduron, P.M., see Castel, M.-N. (186) 133
Lai, Z., see Nilsson-Håkansson, L. (186) 301
Langston, J.W., see Segal, I.S. (186) 9
Larson, D.L., see Takemori, A.E. (186) 285
Lehmann-Horn, F., see Quasthoff, S. (186) 125
Lembeck, F., see Amann, R. (186) 169
Lidbury, P.S., Thiemermann, C., Korbut, R. and Vane, J.R.
Endothelins release tissue plasminogen activator and prostanoids (186) 205
Lignon, M.-F., see Mendre, C. (186) 213
Livett, B.G., see Zhou, X.-F. (186) 247
Lorenzetti, B.B., see Duarte, I.D.G. (186) 289
Löscher, W., see Wahnschaffe, U. (186) 157
Louis, W.J., see Widdop, R.E. (186) 17
Lu, Y.-F., see Takaki, M. (186) 71
Lublin, H., see Peacock, L. (186) 49

Macke Consigny, P.
Endothelin-1 increases arterial sensitivity to 5-hydroxytryptamine (186) 239
Maggi, C.A., see Amann, R. (186) 169
Mais, D.E., see Gehlert, D.R. (186) 373
Marley, P.D., see Zhou, X.-F. (186) 247
Martin, B.R., see Darmani, N.A. (186) 115
Martinez, J., see Mendre, C. (186) 213
Maze, M., see Segal, I.S. (186) 9
McDougall, S.A., Arnold, T.F. and Nonneman, A.J.
Ontogeny of locomotor activity and grooming in the young rat: role of dopamine D_1 and D_2 receptors (186) 223
McEwen, B.S., see Coirini, H. (186) 369
Mendre, C., Rodriguez, M., Lignon, M.-F., Galas, M.-C., Gueudet, C., Worms, P. and Martinez, J.
Pharmacological activity of cholecystokinin analogues modified in the Met^{28}-Gly^{29} region (186) 213
Menkveld, G.J. and Timmerman, H.
Inhibition of electrically evoked contractions of guinea-pig ileum preparations mediated by the histamine H_3 receptor (186) 343
Menzies, R., see Singh, L. (186) 129
Mikkelsen, E.O., see Berg Nyborg, N.C. (186) 295
Miller, L., see Richards, I.S. (186) 331
Momose, Y., see Takeda, R. (186) 189
Momose, Y., see Takeda, R. (186) 197
Mosberg, H.I., see Jiang, Q. (186) 137
Mugridge, K.G., see Wallace, J.L. (186) 279

Muramatsu, I., Saito, K., Ohmura, T., Kigoshi, S. and Shibata, S.
Supersensitivity to tetrodotoxin and lidocaine of anthopleurin-A-treated Na^+ channels in crayfish giant axon (186) 41
Murray, A.M. and Waddington, J.L.
The interaction of clozapine with dopamine D_1 versus dopamine D_2 receptor-mediated function: behavioural indices (186) 79

Nakayama, S., see Takaki, M. (186) 71
Netzer, R. and Bigalke, H.
Memantine reduces repetitive action potential firing in spinal cord nerve cell cultures (186) 149
Newberry, N.R., see Roberts, K.E. (186) 257
Nilsson-Håkansson, L., Lai, Z. and Nordberg, A.
Tetrahydroaminoacridine induces opposite changes in muscarinic and nicotinic receptors in rat brain (186) 301
Nonneman, A.J., see McDougall, S.A. (186) 223
Nordberg, A., see Nilsson-Håkansson, L. (186) 301

Ocaña, M., Del Pozo, E., Barrios, M., Robles, L.I. and Baeyens, J.M.
An ATP-dependent potassium channel blocker antagonizes morphine analgesia (186) 377
Ohmura, T., see Muramatsu, I. (186) 41

Paeile, C., see Hernández, A. (186) 323
Parente, L., see Wallace, J.L. (186) 279
Peacock, L., Lublin, H. and Gerlach, J.
The effects of dopamine D_1 and D_2 receptor agonists and antagonists in monkeys withdrawn from long-term neuroleptic treatment (186) 49
Pelissier, T., see Hernández, A. (186) 323
Pérez, H., see Hernández, A. (186) 323
Petraglia, F., see Genazzani, A.R. (186) 177
Piascik, M.T., Kusiak, J.W. and Barron, K.W.
α_1-Adrenoceptor subtypes and the regulation of peripheral hemodynamics in the conscious rat (186) 273
Piper, P.J., see Conroy, D.M. (186) 315
Porreca, F., see Jiang, Q. (186) 137
Portoghese, P.S., see Takemori, A.E. (186) 285

Quasthoff, S., Spuler, A., Spittelmeister, W., Lehmann-Horn, F. and Grafe, P.
K^+ channel openers suppress myotonic activity of human skeletal muscle in vitro (186) 125

Ramage, A.G., see Shepheard, S.L. (186) 267
Raybould, H.E., see Yoneda, M. (186) 349
Reilly, T.M., see Wong, P.C. (186) 353
Reith, M.E.A.
5-HT_3 receptor antagonists attenuate cocaine-induced locomotion in mice (186) 327
Ricaurte, G.A., see Segal, I.S. (186) 9
Richards, I.S., Miller, L., Solomon, D., Kulkarni, A., Brooks, S. and Sperelakis, N.
Azelastine and desmethylazelastine suppress acetylcholine-induced contraction and depolarization in human airway smooth muscle (186) 331
Roberts, K.E. and Newberry, N.R.
A pharmacological study of the responses induced by muscarinic agonists on the isolated superior cervical ganglion of the guinea-pig (186) 257
Robertson, D.W., see Gehlert, D.R. (186) 373
Robertson, G.S., see Damsma, G. (186) 335
Robles, L.I., see Ocaña, M. (186) 377
Rodriguez, M., see Mendre, C. (186) 213
Rowe, B.P., Grove, K.L., Saylor, D.L. and Speth, R.C.
Angiotensin II receptor subtypes in the rat brain (186) 339

Saito, K., see Muramatsu, I. (186) 41
Samhoun, M.N., see Conroy, D.M. (186) 315
Saylor, D.L., see Rowe, B.P. (186) 339
Schneider, L.H., Davis, J.D., Watson, C.A. and Smith, G.P.
Similar effect of raclopride and reduced sucrose concentration on the microstructure of sucrose sham feeding (186) 61
Schofield, J.G., see Irving, A.J. (186) 363
Schumacher, M., see Coirini, H. (186) 369
Schwartz, T.W., see Jørgensen, J.C. (186) 105
Segal, I.S., Walton, J.K., Irwin, I., DeLanney, L.E., Ricaurte, G.A., Langston, J.W. and Maze, M.
Modulating role of dopamine on anesthetic requirements (186) 9
Shepheard, S.L., Jordan, D. and Ramage, A.G.
Actions of 8-OH-DPAT on sympathetic and respiratory drives, blood pressure and heart rate in the rabbit (186) 267
Shibata, S., see Muramatsu, I. (186) 41
Shoji, T., Aki, Y., Fukui, K., Tamaki, T., Iwao, H. and Abe, Y.
Effects of cromakalim, a potassium channel opener, on regional blood flow in conscious spontaneously hypertensive rats (186) 119
Singh, L., Menzies, R. and Tricklebank, M.D.
The discriminative stimulus properties of (+)-HA-966, an antagonist at the glycine/N-methyl-D-aspartate receptor (186) 129
Sirois, P., see Battistini, B. (186) 307
Smith, G.P., see Schneider, L.H. (186) 61
Solomon, D., see Richards, I.S. (186) 331
Soto-Moyano, R., see Hernández, A. (186) 323
Sperelakis, N., see Richards, I.S. (186) 331
Speth, R.C., see Rowe, B.P. (186) 339
Spittelmeister, W., see Quasthoff, S. (186) 125
Sporel-Özakat, R.E., Edwards, P.M., Gerritsen Van der Hoop, R. and Gispen, W.H.
An ACTH-(4-9) analogue, Org 2766, improves recovery from acrylamide neuropathy in rats (186) 181
Spuler, A., see Quasthoff, S. (186) 125
Stewart, D.J., see Costello, K.B. (186) 311
Stratton, K.R., Worley, P.F. and Baraban, J.M.
Pharmacological characterization of phosphoinositide-linked glutamate receptor excitation of hippocampal neurons (186) 357
Suddath, R.L., see Karoum, F. (186) 1
Sunter, D.C., see Irving, A.J. (186) 363

Takaki, M., Jin, J.-G., Lu, Y.-F. and Nakayama, S.
Effects of piperine on the motility of the isolated guinea-pig ileum: comparison with capsaicin (186) 71
Takeda, R., Momose, Y. and Haji, A.
Effects of acetaldehyde on contractile response to nerve stimulation in guinea-pig vas deferens (186) 189
Takeda, R., Momose, Y. and Haji, A.
Effects of acetaldehyde on electrical activity during neuroeffector transmission in guinea-pig vas deferens (186) 197
Takemori, A.E., Yim, C.B., Larson, D.L. and Portoghese, P.S.
Long-acting agonist and antagonist activities of naltrexamine bivalent ligands in mice (186) 285
Tamaki, T., see Shoji, T. (186) 119
Tapia-Arancibia, L. and Astier, H.
Pharmacological properties of the NMDA receptor involved in somatostatin release from cortical neurons (186) 319
Tham, C.-S., see Damsma, G. (186) 335
Thiemermann, C., see Lidbury, P.S. (186) 205
Timmerman, H., see Menkveld, G.J. (186) 343
Timmermans, P.B.M.W.M., see Wong, P.C. (186) 353
Trentini, G.P., see Genazzani, A.R. (186) 177
Tricklebank, M.D., see Singh, L. (186) 129

Vane, J.R., see Lidbury, P.S. (186) 205
Verberne, A.J.M., see Widdop, R.E. (186) 17

Waddington, J.L., see Murray, A.M. (186) 79
Wahnschaffe, U. and Löscher, W.
Effect of selective bilateral destruction of the substantia nigra on antiepileptic drug actions in kindled rats (186) 157
Wallace, J.L., Keenan, C.M., Mugridge, K.G. and Parente, L.
Reduction of the severity of experimental gastric and duodenal ulceration by interleukin-1_β (186) 279
Walton, J.K., see Segal, I.S. (186) 9
Watanabe, Y., see Iwakura, K. (186) 29
Watkins, J.C., see Irving, A.J. (186) 363
Watson, C.A., see Schneider, L.H. (186) 61
Weihe, E., see Amann, R. (186) 169
Widdop, R.E., Verberne, A.J.M., Louis, W.J. and Jarrott, B.
The effect of ketanserin on cardiovascular reflexes in conscious normotensive and spontaneously hypertensive rats (186) 17
Wong, P.C., Reilly, T.M. and Timmermans, P.B.M.W.M.
Angiotensin II monoclonal antibody: blood pressure effects in normotensive and spontaneously hypertensive rats (186) 353
Worley, P.F., see Stratton, K.R. (186) 357
Worms, P., see Mendre, C. (186) 213
Wyatt, R.J., see Karoum, F. (186) 1

Yim, C.B., see Takemori, A.E. (186) 285
Yoneda, M. and Raybould, H.E.
Capsaicin-sensitive vagal afferent fibers do not contribute to histamine H_2 receptor agonist-induced gastric acid secretion in anesthetized rats (186) 349
Yoshida, H., see Iwakura, K. (186) 29

Zhou, X.-F., Marley, P.D. and Livett, B.G.
Role of capsaicin-sensitive neurons in catecholamine secretion from rat adrenal glands (186) 247